European Journal of Pharmacology, 185 (1990) 251–253
Elsevier

Author index

Akaike, N., see Oyama, Y. (185) 43
Anderson, K.J. and Vickroy, T.W.
Anatomical and pharmacological heterogeneity of D-[^{3}H]aspartate binding sites (185) 119

Babbini, M., see Bartoletti, M. (185) 163
Bacchi, A., see Bartoletti, M. (185) 163
Baldessarini, R.J., see Booth, R.G. (185) 217
Barbanti, G., see Maggi, C.A. (185) 169
Bartoletti, M., Gaiardi, M., Gubellini, C., Bacchi, A. and Babbini, M.
Morphine attenuation of a conditioned emotional response in post-dependent rats (185) 163
Baudrie, V., see Chaouloff, F. (185) 11
Bédard, P.J., see Rouillard, C. (185) 209
Bény, J.-L.
Thimerosal hyperpolarizes arterial smooth muscles in an endothelium-dependent manner (185) 235
Besana, E., see Marchi, M. (185) 247
Bönisch, H., see Fink, K. (185) 115
Booth, R.G. and Baldessarini, R.J.
Adenosine A_2 stimulation of tyrosine hydroxylase in rat striatal minces is reversed by dopamine D_2 autoreceptor activation (185) 217
Buchholz, R.A., see Dundore, R.L. (185) 91

Chaouloff, F., Laude, D. and Baudrie, V.
Ganglionic transmission is a prerequisite for the adrenaline-releasing and hyperglycemic effects of 8-OH-DPAT (185) 11
Chu, S.S., see Doughty, M.B. (185) 113
Collins, A.C., see Luntz-Leybman, V. (185) 239

Dannals, R.F., see Sadzot, B. (185) 195
De Barry, J., see Mathis, C. (185) 53
De Beurme, F.A., see Lefebvre, R.A. (185) 69
Di Paolo, T., see Rouillard, C. (185) 209
Doughty, M.B., Chu, S.S., Miller, D.W., Li, K. and Tessel, R.E.
Benextramine: a long-lasting neuropeptide Y receptor antagonist (185) 113
Duckles, S.P.
p-Fluoro-hexahydro-sila-difenidol: affinity for vascular muscarinic receptors (185) 227
Dundore, R.L., Pratt, P.F., Hallenbeck, W.D., Wassey, M.L., Silver, P.J. and Buchholz, R.A.
Sodium nitroprusside potentiates the depressor response to the phosphodiesterase inhibitor zaprinast in rats (185) 91
Duty, S., Paciorek, P.M., Waterfall, J.F. and Weston, A.H.
A comparison of the haemodynamic profiles of Ro 31-6930, cromakalim and nifedipine in anaesthetised normotensive rats (185) 35

Elgoyhen, A.B., see Kazanietz, M.G. (185) 231
Engler, M.B., Karanian, J.W. and Salem, Jr., N.
Docosahexaenoic acid (22 : 6n3)-induced relaxation of the rat aorta (185) 223

Fink, K., Bönisch, H. and Göthert, M.
Presynaptic NMDA receptors stimulate noradrenaline release in the cerebral cortex (185) 115
Freund, R.K., see Luntz-Leybman, V. (185) 239
Frost, J.J., see Sadzot, B. (185) 195

Gaiardi, M., see Bartoletti, M. (185) 163
Galletti, F., Luchowski, E. and Triggle, D.J.
1,4-Dihydropyridine activators in the tiamdipine series (185) 157
Giachetti, A., see Maggi, C.A. (185) 169
Giuliani, S., see Maggi, C.A. (185) 169
Göthert, M., see Fink, K. (185) 115
Goudie, A.J. and Leathley, M.J.
Effects of the 5-HT_3 antagonist GR38032F (ondansetron) on benzodiazepine withdrawal in rats (185) 179
Gouw, M.A.M., Wilffert, B. and Van Zwieten, P.A.
Effects of inorganic cations on K^+-, 5-hydroxytryptamine- and noradrenaline-induced contractions of the isolated rat jugular vein and aorta (185) 147
Gubellini, C., see Bartoletti, M. (185) 163
Guenaneche, F., see Lefebvre, R.A. (185) 69
Gustafsson, L.E., see Wiklund, N.P. (185) 25
Gustafsson, L.E., see Wiklund, N.P. (185) 123

Hallenbeck, W.D., see Dundore, R.L. (185) 91
Hedqvist, P., see Wiklund, N.P. (185) 25
Hedqvist, P., see Wiklund, N.P. (185) 123
Hirafuji, M. and Ogura, Y.
Distinct stimulatory effect of platelet-activating factor on prostaglandin I_2 and thromboxane A_2 biosynthesis by rat dental pulp (185) 81
Hisaki, K., see Matsumura, Y. (185) 103
Horn, P.T., see Mercuro, G. (185) 61

Ikemoto, Y., see Oyama, Y. (185) 43

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Jackson, H.C. and Nutt, D.J.
Body temperature discriminates between full and partial benzodiazepine receptor agonists (185) 243
Jarrott, B., see Widdop, R.E. (185) 107
Johns, E.J. and Rutkowski, B.
Renal actions of atriopeptin III in genetic and renovascular models of hypertension in the rat (185) 125

Karanian, J.W., see Engler, M.B. (185) 223
Kazanietz, M.G. and Elgoyhen, A.B.
Relaxant effect of benzodiazepines on uterine rings isolated from estrogen-treated rats (185) 231
Kits, K.S., see Oyama, Y. (185) 43
Kohli, J.D., see Mercuro, G. (185) 61
Krieglstein, J., see Seif el Nasr, M. (185) 19
Krstew, E., see Widdop, R.E. (185) 107

Laude, D., see Chaouloff, F. (185) 11
Leathley, M.J., see Goudie, A.J. (185) 179
Lefebvre, R.A., Guenaneche, F. and De Beurme, F.A.
Effects of the dopamine receptor agonists, fenoldopam and quinpirole, in the rat stomach (185) 69
Li, K., see Doughty, M.B. (185) 113
Luchowski, E., see Galletti, F. (185) 157
Luheshi, G. and Zar, A.
Purinoceptor desensitization impairs but does not abolish the non-cholinergic motor transmission in rat isolated urinary bladder (185) 203
Luntz-Leybman, V., Freund, R.K. and Collins, A.C.
5α-Pregnan-3α-ol-20-one blocks nicotine-induced seizures and enhances paired-pulse inhibition (185) 239

Maggi, C.A., Giuliani, S., Santicioli, P., Patacchini, R., Said, S.I., Theodorsson, E., Turini, D., Barbanti, G., Giachetti, A. and Meli, A.
Direct evidence for the involvement of vasoactive intestinal polypeptide in the motor response of the human isolated ileum to capsaicin (185) 169
Marchi, M., Besana, E. and Raiteri, M.
Oxiracetam increases the release of endogenous glutamate from depolarized rat hippocampal slices (185) 247
Mathis, C., De Barry, J. and Ungerer, A.
NMDA antagonist properties of γ-L-glutamyl-L-aspartate demonstrated on chemically induced seizures in mice (185) 53
Matsumura, Y., Hisaki, K., Takaoka, M. and Morimoto, S.
Phosphoramidon, a metalloproteinase inhibitor, suppresses the hypertensive effect of big endothelin-1 (185) 103
McHarg, A.D., Southerton, J.S. and Weston, A.H.
A comparison of the actions of cromakalim and nifedipine on rabbit isolated mesenteric artery (185) 137
Meli, A., see Maggi, C.A. (185) 169
Mennel, H.-D., see Seif el Nasr, M. (185) 19
Mercuro, G., Horn, P.T., Orelind, E.R. and Kohli, J.D.
Inhibitory effects of catecholamines in the paravertebral sympathetic ganglia of the anesthetized dog (185) 61
Miller, D.W., see Doughty, M.B. (185) 113
Moncada, S., see Wiklund, N.P. (185) 123
Morimoto, S., see Matsumura, Y. (185) 103

Nutt, D.J., see Jackson, H.C. (185) 243

Ogura, Y., see Hirafuji, M. (185) 81
Öhlén, A., see Wiklund, N.P. (185) 25
Orelind, E.R., see Mercuro, G. (185) 61
Oyama, Y., Ikemoto, Y., Kits, K.S. and Akaike, N.
GABA affects the glutamate receptor-chloride channel complex in mechanically isolated and internally perfused *Aplysia* neurons (185) 43

Paciorek, P.M., see Duty, S. (185) 35
Patacchini, R., see Maggi, C.A. (185) 169
Persson, M.G., see Wiklund, N.P. (185) 123
Peruche, B., see Seif el Nasr, M. (185) 19
Pratt, P.F., see Dundore, R.L. (185) 91

Raiteri, M., see Marchi, M. (185) 247
Ravert, H.T., see Sadzot, B. (185) 195
Roßberg, C., see Seif el Nasr, M. (185) 19
Rouillard, C., Bédard, P.J. and Di Paolo, T.
Effects of chronic treatment of MPTP monkeys with bromocriptine alone or in combination with SKF 38393 (185) 209
Rutkowski, B., see Johns, E.J. (185) 125

Sadzot, B., Sheldon, J., Dannals, R.F., Ravert, H.T., Wagner, Jr., H.N. and Frost, J.J.
Localization of peripheral cholecystokinin receptors in vivo using the cholecystokinin antagonist [^{3}H](±)-MK-329 (185) 195
Said, S.I., see Maggi, C.A. (185) 169
Salem, Jr., N., see Engler, M.B. (185) 223
Santicioli, P., see Maggi, C.A. (185) 169
Segersvärd, S., see Ståhle, L. (185) 187
Seif el Nasr, M., Peruche, B., Roßberg, C., Mennel, H.-D. and Krieglstein, J.
Neuroprotective effect of memantine demonstrated in vivo and in vitro (185) 19
Sheldon, J., see Sadzot, B. (185) 195
Silver, P.J., see Dundore, R.L. (185) 91
Skolnick, P., see Trullas, R. (185) 1
Southerton, J.S., see McHarg, A.D. (185) 137
Ståhle, L., Segersvärd, S. and Ungerstedt, U.
Theophylline concentration in the extracellular space of the rat brain: measurement by microdialysis and relation to behaviour (185) 187

Takaoka, M., see Matsumura, Y. (185) 103
Tessel, R.E., see Doughty, M.B. (185) 113
Theodorsson, E., see Maggi, C.A. (185) 169
Triggle, D.J., see Galletti, F. (185) 157
Trullas, R. and Skolnick, P.
Functional antagonists at the NMDA receptor complex exhibit antidepressant actions (185) 1
Turini, D., see Maggi, C.A. (185) 169

Ungerer, A., see Mathis, C. (185) 53
Ungerstedt, U., see Ståhle, L. (185) 187

Van der Valk, J.B.F. and Vijverberg, H.P.M.
Glutamate-induced inward current in a clonal neuroblastoma cell line (185) 99
Van Zwieten, P.A., see Gouw, M.A.M. (185) 147
Vickroy, T.W., see Anderson, K.J. (185) 119
Vijverberg, H.P.M., see Van der Valk, J.B.F. (185) 99

Wagner, Jr., H.N., see Sadzot, B. (185) 195
Wassey, M.L., see Dundore, R.L. (185) 91
Waterfall, J.F., see Duty, S. (185) 35
Weston, A.H., see Duty, S. (185) 35
Weston, A.H., see McHarg, A.D. (185) 137
Widdop, R.E., Krstew, E. and Jarrott, B.
Temperature dependence of angiotensin II-mediated depolarisation of the rat isolated nodose ganglion (185) 107
Wiklund, C.U., see Wiklund, N.P. (185) 25
Wiklund, N.P., Öhlén, A., Wiklund, C.U., Hedqvist, P. and Gustafsson, L.E.
Endothelin modulation of neuroeffector transmission in rat and guinea pig vas deferens (185) 25
Wiklund, N.P., Persson, M.G., Gustafsson, L.E., Moncada, S. and Hedqvist, P.
Modulatory role of endogenous nitric oxide in pulmonary circulation in vivo (185) 123
Wilffert, B., see Gouw, M.A.M. (185) 147

Zar, A., see Luheshi, G. (185) 203